Retrieval-Augmented Generation (RAG) & Tool-use LLMs

CS 5624: Natural Language Processing Spring 2025

https://tuvllms.github.io/nlp-spring-2025

Tu Vu

VIRGINIA TECH

Special thanks to Andrew Drozdov for his insights and paper recommendations

Logistics

- Homework 2 due 5/5
- Final project presentations 5/6
- Final project report due 5/9
- Final grades due **5/16**

Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks

Patrick Lewis^{†‡}, Ethan Perez^{*},

Aleksandra Piktus[†], Fabio Petroni[†], Vladimir Karpukhin[†], Naman Goyal[†], Heinrich Küttler[†],

Mike Lewis[†], Wen-tau Yih[†], Tim Rocktäschel^{†‡}, Sebastian Riedel^{†‡}, Douwe Kiela[†]

[†]Facebook AI Research; [‡]University College London; ^{*}New York University; plewis@fb.com RAG



RAG (cont'd)





Retrieval-Augmented Generation (RAG)

- Vanilla RAG
 - E.g., <u>RAG</u>, <u>REALM</u>
- RAG++
 - E.g., <u>ReAct</u>, <u>Toolformer</u>, <u>FreshLLMs</u>, <u>GraphRAG</u>,
- RAG + reasoning, agentic RAG
 - E.g., <u>Self-RAG</u>, <u>OpenScholar</u>, <u>Search-R1</u>, <u>Deep Research</u>

Traditional RAG struggles because it retrieves only top-k chunks while it needs the entire context



Chunking produces independent chunks







An LLM creates a graph from the documents.

GraphRAG (cont'd)



During summarization, the system can do a graph traversal to fetch all the relevant context.

GraphRAG (cont'd)



The entire context will help the LLM produce a complete answer.

GraphRAG (cont'd)



FRESHLLMS: REFRESHING LARGE LANGUAGE MODELS WITH SEARCH ENGINE AUGMENTATION

Tu Vu¹Mohit Iyyer²Xuezhi Wang¹Noah Constant¹Jerry Wei¹Jason Wei^{3*}Chris Tar¹Yun-Hsuan Sung¹Denny Zhou¹Quoc Le¹Thang Luong¹

Google¹ University of Massachusetts Amherst² OpenAI³ freshllms@google.com

FreshPrompt

source: {source_webpage}
date: {publication_date}
title: {title}
snippet: {text_snippet}
highlight:
{highlighted words}

{demonstrations} # details omitted for brevity
query: {question}
`*{retrieved_evidences} # chronological order
question: {question}
answer: {reasoning_and_answer}

FreshPrompt uses few-shot in-context learning to teach a model to reason over retrieved evidences and figure out the right answer



Home / AI News / Unleash the Power of Perplexity AI's Fresh Prompt Approach

Э

lels

Online LLMs

Unleash the Power of Perplexity AI's Fresh Prompt Approach

Updated on Feb 28,2024



Perplexity AI's Fresh Prompt Approach

AI / LARGE LANGUAGE MODELS

TNS Daily Newsletter

THENEWSTACK

NEWSLETTER

How Perplexity's Online LLM Was Inspired by FreshLLMs Paper

THENEWSTACK

PODCASTS EBOOKS EVENTS NEWSLETTER CONTRIBUTE

ARCHITECTURE ENGINEERING OPERATIONS PROGRAMMING

Get our newsletter with all the most important updates about at-scale software development.

We dig into the technology behind Perplexity's Copilot, which was inspired by the FreshLLMs paper that proposed search engine-augmented LLMs.

Jan 24th, 2024 4:00am by Janakiram MSV



OpenScholar: Synthesizing Scientific Literature with Retrieval-augmented LMs

Akari Asai^{1,5} Jacqueline He^{1*} Rulin Shao^{1,5*} Weijia Shi^{1,2} Amanpreet Singh² Joseph Chee Chang² Kyle Lo² Luca Soldaini² Sergey Feldman² Mike D'arcy² David Wadden² Matt Latzke² Minyang Tian³ Pan Ji⁶ Shengyan Liu³ Hao Tong³ Bohao Wu³ Yanyu Xiong⁷ Luke Zettlemoyer^{1,5} Graham Neubig⁴ Dan Weld^{1,2} Doug Downey² Wen-tau Yih⁵ Pang Wei Koh^{1,2} Hannaneh Hajishirzi^{1,2} ¹University of Washington ²Allen Institute for AI ³University of Illinois, Urbana-Champaign ⁴Carnegie Mellon University ⁵Meta ⁶University of North Carolina, Chapel Hill ⁷Stanford University {akari, pangwei, hannaneh}@cs.washington.edu

OpenScholar's approach



Search-R1: Training LLMs to Reason and Leverage Search Engines with Reinforcement Learning

Bowen Jin¹, Hansi Zeng², Zhenrui Yue¹, Jinsung Yoon³, Sercan Ö. Arık³, Dong Wang¹, Hamed Zamani², Jiawei Han¹

¹ Department of Computer Science, University of Illinois at Urbana-Champaign

² Center for Intelligent Information Retrieval, University of Massachusetts Amherst
 ³ Google Cloud AI Research

{bowenj4,zhenrui3,dwang24,hanj}@illinois.edu, {hzeng, zamani}@cs.umass.edu

During the rollout, LLMs can conduct multi-turn interactions with the search engine.



Figure 1: Demonstration of PPO and GRPO training with the search engine (SEARCH-R1).

Training template

Answer the given question. You must conduct reasoning inside <think> and </think> first every time you get new information. After reasoning, if you find you lack some knowledge, you can call a search engine by <search> query </search>, and it will return the top searched results between <information> and </information>. You can search as many times as you want. If you find no further external knowledge needed, you can directly provide the answer inside <answer> and </answer> without detailed illustrations. For example, <answer> xxx </answer>. Question: question.

Search-R1's algorithm

Algorithm 1 LLM Response Rollout with Multi-Turn Search Engine Calls **Require:** Input query *x*, policy model π_{θ} , search engine \mathcal{R} , maximum action budget *B*. **Ensure:** Final response *y*. 1: Initialize rollout sequence $y \leftarrow \emptyset$ 2: Initialize action count $b \leftarrow 0$ 3: while b < B do Initialize current action LLM rollout sequence $y_b \leftarrow \emptyset$ 4: while True do 5: Generate response token $y_t \sim \pi_{\theta}(\cdot \mid x, y + y_b)$ 6: Append y_t to rollout sequence $y_b \leftarrow y_b + y_t$ 7: 8: if y_t in [</search>, </answer>, <eos>] then break end if 9: end while 10: 11: $y \leftarrow y + y_b$ **if** < search> < / search> detected in y_h then 12: Extract search query $q \leftarrow \text{Parse}(y_h, <\text{search}, </\text{search})$ 13: Retrieve search results $d = \mathcal{R}(q)$ 14: Insert *d* into rollout $y \leftarrow y + < information > d < / information >$ 15: else if <answer> </answer> detected in y_h then 16: **return** final generated response y 17: 18: else Ask for rethink $y \leftarrow y +$ "My action is not correct. Let me rethink." 19: end if 20: 21: Increment action count $b \leftarrow b + 1$ 22: end while 23: **return** final generated response *y*

Search-R1's performance

Methods	General QA			Multi-Hop QA				
	$\mathbf{N}\mathbf{Q}^{\dagger}$	TriviaQA*	PopQA*	HotpotQA [†]	2wiki*	Musique*	Bamboogle*	Avg.
Qwen2.5-7b-Base/Instruct								
Direct Inference	0.134	0.408	0.140	0.183	0.250	0.031	0.120	0.181
СоТ	0.048	0.185	0.054	0.092	0.111	0.022	0.232	0.106
IRCoT	0.224	0.478	0.301	0.133	0.149	0.072	0.224	0.239
Search-o1	0.151	0.443	0.131	0.187	0.176	0.058	0.296	0.206
RAG	0.349	0.585	0.392	0.299	0.235	0.058	0.208	0.304
SFT	0.318	0.354	0.121	0.217	0.259	0.066	0.112	0.207
R1-base	0.297	0.539	0.202	0.242	0.273	0.083	0.296	0.276
R1-instruct	0.270	0.537	0.199	0.237	0.292	0.072	0.293	0.271
Search-R1-base	0.480	0.638	0.457	0.433	0.382	0.196	0.432	0.431
Search-R1-instruct	0.393	0.610	0.397	0.370	0.414	0.146	0.368	0.385
Qwen2.5-3b-Base/Instruct								
Direct Inference	0.106	0.288	0.108	0.149	0.244	0.020	0.024	0.134
СоТ	0.023	0.032	0.005	0.021	0.021	0.002	0.000	0.015
IRCoT	0.111	0.312	0.200	0.164	0.171	0.067	0.240	0.181
Search-o1	0.238	0.472	0.262	0.221	0.218	0.054	0.320	0.255
RAG	0.348	0.544	0.387	0.255	0.226	0.047	0.080	0.270
SFT	0.249	0.292	0.104	0.186	0.248	0.044	0.112	0.176
R1-base	0.226	0.455	0.173	0.201	0.268	0.055	0.224	0.229
R1-instruct	0.210	0.449	0.171	0.208	0.275	0.060	0.192	0.224
Search-R1-base	0.406	0.587	0.435	0.284	0.273	0.049	0.088	0.303
Search-R1-instruct	0.341	0.545	0.378	0.324	0.319	0.103	0.264	0.325

RAG vs. long-context LLMs

RETRIEVAL MEETS LONG CONTEXT LARGE LANGUAGE MODELS

Peng Xu[†], Wei Ping[†], Xianchao Wu, Lawrence McAfee Chen Zhu, Zihan Liu, Sandeep Subramanian, Evelina Bakhturina Mohammad Shoeybi, Bryan Catanzaro NVIDIA [†]{pengx, wping}@nvidia.com

Abstract

Extending the context window of large language models (LLMs) is getting popular recently, while the solution of augmenting LLMs with retrieval has existed for years. The natural questions are: i) Retrieval-augmentation versus long context window, which one is better for downstream tasks? ii) Can both methods be combined to get the best of both worlds? In this work, we answer these questions by studying both solutions using two state-of-the-art pretrained LLMs, i.e., a proprietary 43B GPT and Llama2-70B. Perhaps surprisingly, we find that LLM with 4K context window using simple retrieval-augmentation at generation can achieve comparable performance to finetuned LLM with 16K context window via positional interpolation on long context tasks, while taking much less computation. More importantly, we demonstrate that retrieval can significantly improve the performance of LLMs regardless of their extended context window sizes. Our best model, retrieval-augmented Llama2-70B with 32K context window, outperforms GPT-3.5turbo-16k and Davinci003 in terms of average score on nine long context tasks including question answering, query-based summarization, and in-context few-shot learning tasks. It also outperforms its non-retrieval Llama2-70B-32k baseline by a margin, while being much faster at generation. Our study provides general insights on the choice of retrieval-augmentation versus long context extension of LLM for practitioners.

Can Long-Context Language Models Subsume Retrieval, RAG, SQL, and More?

Jinhyuk Lee* Anthony Chen* Zhuyun Dai* Dheeru Dua Devendra Singh Sachan Michael Boratko Yi Luan Sébastien M. R. Arnold Vincent Perot Siddharth Dalmia Hexiang Hu Xudong Lin Panupong Pasupat Aida Amini Jeremy R. Cole Sebastian Riedel Iftekhar Naim Ming-Wei Chang Kelvin Guu Google DeepMind

Abstract

Long-context language models (LCLMs) have the potential to revolutionize our approach to tasks traditionally reliant on external tools like retrieval systems or databases. Leveraging LCLMs' ability to natively ingest and process entire corpora of information offers numerous advantages. It enhances user-friendliness by eliminating the need for specialized knowledge of tools, provides robust end-to-end modeling that minimizes cascading errors in complex pipelines, and allows for the application of sophisticated prompting techniques across the entire system. To assess this paradigm shift, we introduce LOFT, a benchmark of real-world tasks requiring context up to millions of tokens designed to evaluate LCLMs' performance on in-context retrieval and reasoning. Our findings reveal LCLMs' surprising ability to rival state-of-the-art retrieval and RAG systems, despite never having been explicitly trained for these tasks. However, LCLMs still face challenges in areas like compositional reasoning that are required in SQL-like tasks. Notably, prompting strategies significantly influence performance, emphasizing the need for continued research as context lengths grow. Overall, LOFT provides a rigorous testing ground for LCLMs, showcasing their potential to supplant existing paradigms and tackle novel tasks as model capabilities scale.¹

Retrieval Augmented Generation or Long-Context LLMs? A Comprehensive Study and Hybrid Approach

Zhuowan Li¹ Cheng Li¹ Mingyang Zhang¹ Qiaozhu Mei^{2*} Michael Bendersky¹ ¹ Google DeepMind ² University of Michigan ¹ {zhuowan,chgli,mingyang,bemike}@google.com ² qmei@umich.edu

Abstract

Retrieval Augmented Generation (RAG) has been a powerful tool for Large Language Models (LLMs) to efficiently process overly lengthy contexts. However, recent LLMs like Gemini-1.5 and GPT-4 show exceptional capabilities to understand long contexts directly. We conduct a comprehensive comparison between RAG and long-context (LC) LLMs, aiming to leverage the strengths of both. We benchmark RAG and LC across various public datasets using three latest LLMs. Results reveal that when resourced sufficiently, LC consistently outperforms RAG in terms of average performance. However, RAG's significantly lower cost remains a distinct advantage. Based on this observation, we propose SELF-ROUTE, a simple yet effective method that routes queries to RAG or LC based on model self-reflection. SELF-ROUTE significantly reduces the computation cost while maintaining a comparable performance to LC. Our findings provide a guideline for long-context applications of LLMs using RAG and LC.

Lost in the Middle: How Language Models Use Long Contexts

Nelson F. Liu1*Kevin Lin2John Hewitt1Ashwin Paranjape3Michele Bevilacqua3Fabio Petroni3Percy Liang11 Stanford University2 University of California, Berkeley3 Samaya AInfliu@cs.stanford.edu3

Changing the location of relevant information results in a U-shaped performance curve



1st5th10th15th20thPosition of Document with the Answer

gpt-3.5-turbo-0613
 gpt-3.5-turbo-0613 (closed-book)

Tool-use LLMs

Toolformer: Language Models Can Teach Themselves to Use Tools

Timo SchickJane Dwivedi-YuRoberto Dessì[†]Roberta RaileanuMaria LomeliLuke ZettlemoyerNicola CanceddaThomas ScialomMeta AI Research[†]Universitat Pompeu Fabra

Exemplary predictions of Toolformer

The New England Journal of Medicine is a registered trademark of [QA("Who is the publisher of The New England Journal of Medicine?") \rightarrow Massachusetts Medical Society] the MMS.

Out of 1400 participants, 400 (or **[Calculator(400 / 1400)** \rightarrow 0.29] 29%) passed the test.

The name derives from "la tortuga", the Spanish word for $[MT("tortuga") \rightarrow turtle]$ turtle.

The Brown Act is California's law [WikiSearch("Brown Act") \rightarrow The Ralph M. Brown Act is an act of the California State Legislature that guarantees the public's right to attend and participate in meetings of local legislative bodies.] that requires legislative bodies, like city councils, to hold their meetings open to the public.

Using in-context learning to generate API calls

Use an LLM to annotate a huge language modeling dataset with potential API calls Your task is to add calls to a Question Answering API to a piece of text. The questions should help you get information required to complete the text. You can call the API by writing "[QA(question)]" where "question" is the question you want to ask. Here are some examples of API calls:

Input: Joe Biden was born in Scranton, Pennsylvania.

Output: Joe Biden was born in [QA("Where was Joe Biden born?")] Scranton, [QA("In which state is Scranton?")] Pennsylvania.

Input: Coca-Cola, or Coke, is a carbonated soft drink manufactured by the Coca-Cola Company.

Output: Coca-Cola, or [QA("What other name is Coca-Cola known by?")] Coke, is a carbonated soft drink manufactured by [QA("Who manufactures Coca-Cola?")] the Coca-Cola Company.

Input: x

Output:

Filtering out all API calls which do not reduce the loss over the next tokens



Intuitively, an API call is helpful if providing it with both the input and the output of this call makes it easier for the model to predict future tokens, compared to not receiving the API call at all, or receiving only its input

Toolformer (6.7B) achieves much stronger zero-shot results than OPT (66B) and GPT-3 (175B)

Model	ASDiv	SVAMP	MAWPS	Model	WebQS	NQ	TriviaQA
GPT-J	7.5	5.2	9.9	GPT-J	18.5	12.8	43.9
GPT-J + CC	9.6	5.0	9.3	GPT-J + CC	18.4	12.2	45.6
Toolformer (disabled)	14.8	6.3	15.0	Toolformer (disabled)	18.9	12.6	46.7
Toolformer	<u>40.4</u>	<u>29.4</u>	<u>44.0</u>	Toolformer	26.3	17.7	48.8
OPT (66B)	6.0	4.9	7.9	OPT (66B)	18.6	11.4	45.7
GPT-3 (175B)	14.0	10.0	19.8	GPT-3 (175B)	<u>29.0</u>	<u>22.6</u>	<u>65.9</u>

Deep Research

- <u>https://openai.com/index/introducing-deep-research/</u>
- An agent that uses reasoning to synthesize large amounts of online information and complete multi-step research tasks for you.



https://openai.com/index/introducing-deep-research/

Deep research is OpenAI's next agent that can do work for you independently—you give it a prompt, and ChatGPT will find, analyze, and synthesize hundreds of online sources to create a comprehensive report at the level of a research analyst. Powered by a version of the upcoming OpenAl o3 model that's optimized for web browsing and data analysis, it leverages reasoning to search, interpret, and analyze massive amounts of text, images, and PDFs on the internet, pivoting as needed in reaction to information it encounters.

Deep Research (cont'd)

Deep research is built for people who do intensive knowledge work in areas like finance, science, policy, and engineering and need thorough, precise, and reliable research. It can be equally useful for discerning shoppers looking for hyperpersonalized recommendations on purchases that typically require careful research, like cars, appliances, and furniture. Every output is fully documented, with clear citations and a summary of its thinking, making it easy to reference and verify the information. It is particularly effective at finding niche, non-intuitive information that would require browsing numerous websites. Deep research frees up valuable time by allowing you to offload and expedite complex, time-intensive web research with just one query.

Deep Research (cont'd)

Deep research independently discovers, reasons about, and consolidates insights from across the web. To accomplish this, it was trained on real-world tasks requiring browser and Python tool use, using the same reinforcement learning methods behind OpenAl o1, our first reasoning model. While o1 demonstrates impressive capabilities in coding, math, and other technical domains, many realworld challenges demand extensive context and information gathering from diverse online sources. Deep research builds on these reasoning capabilities to bridge that gap, allowing it to take on the types of problems people face in work and everyday life.

Deep Research on Humanity's Last Exam

Model	Accuracy (%)
GPT-4o	3.3
Grok-2	3.8
Claude 3.5 Sonnet	4.3
Gemini Thinking	6.2
OpenAl o1	9.1
DeepSeek-R1*	9.4
OpenAl o3-mini (medium)*	10.5
OpenAl o3-mini (high)*	13.0
OpenAl deep research**	26.6

* Model is not multi-modal, evaluated on text-only subset.

**with browsing + python tools

The more the model browses and thinks about what it is browsing, the better it does



Max Tool Calls

Deep Research on Humanity's Last Exam

Model	Accuracy (%)
GPT-4o	3.3
Grok-2	3.8
Claude 3.5 Sonnet	4.3
Gemini Thinking	6.2
OpenAl o1	9.1
DeepSeek-R1*	9.4
OpenAl o3-mini (medium)*	10.5
OpenAl o3-mini (high)*	13.0
OpenAl deep research**	26.6

* Model is not multi-modal, evaluated on text-only subset.

**with browsing + python tools

Pass rate on expert-level tasks



Pass rate on expert-level tasks (cont'd)



Estimated economic value of task is more correlated with pass rate than # of hours it would take a human – the things that models find difficult are different to what humans find time-consuming.

